



Autonomous Aerial System (UAV) for Sustainable Agriculture: A Review

Pornima D. Rathod^{a++*} and Gopal U. Shinde^{b#}

^a CAET, VNMKV, Parbhani, 431401, India.

^b CAET, NAHEP, VNMKV, Parbhani, 431401, India.

Authors' contributions

This work was carried out in collaboration between both authors. Both authors read and approved the final manuscript.

Article Information

DOI: 10.9734/IJECC/2023/v13i82080

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here:

<https://www.sdiarticle5.com/review-history/93176>

Review Article

Received: 08/09/2022

Accepted: 11/11/2022

Published: 10/06/2023

ABSTRACT

Drones are now a days emerging as a component of precision agriculture along with contributing to sustainable agriculture. The use of advanced technologies such as drone in agriculture offer potential for facing several major or minor challenges. The major applications of drone in agriculture are spraying, irrigation, crop monitoring, soil and field analysis and bird control. The objective of this paper is to review the latest trends and applications of leading technologies related to agricultural UAVs equipment, and sensors development. And also, the use of UAVs in real agricultural environments. Based on the literature, found that a lots of agriculture applications can be done by using Drone. In the methodology, we used a comprehensive review from other researches in this world. Furthermore, the future development of agricultural UAVs and their challenges are considered. In this review paper, summarizes the available agricultural drones and applications of UAVs for Precision Agriculture using different sensors to evaluated agricultural parameters such as NDVI, vegetation index, NIR, nutrient disorder using sensors like RGB, digital camera, multispectral and hyperspectral sensors and to reduce the wasting of water and chemicals quadcopter, hexacopter UAVs could be used.

⁺⁺ Post graduate Research Scholar;

[#] Assistant Professor & Principal Investigator;

^{*}Corresponding author: E-mail: jrfspm.nahep.vnmkv@gmail.com;

Keywords: Drone components; sensors; smart agriculture; Unmanned Aerial Vehicles (UAVs).

1. INTRODUCTION

The adoption of modern technologies in agriculture, such as the use of Unmanned Aerial Vehicles (UAVs) or drones (Dynamic Remotely Operated Navigation Equipment), can significantly enhance risk and damage assessments [1]. UAVs are one type of aircraft that can fly autonomously in the air without the involvement of a pilot on board, and the aircraft's motion is controlled remotely by an operator. An operator controls the UAV's movement from a distance. UAVs have been widely employed in agriculture due to the quick development of smart agricultural technology, assisting farmers with tasks like crop monitoring, crop spraying, weed and disease diagnosis, etc. [2]. The features required in precision agriculture where large areas are monitored and analyses are carried out in minimum time. Using of aerial vehicle is possible due to miniaturization of compact cameras and other sensors like infrared and sonar [3].

The potential of drones to become an element of the green technologies in the near future with vast utility in attaining sustainable agriculture cannot be undermined. Presently, farmers are facing many problems like unavailability or high cost of labours, health problems by coming in contact with chemicals (fertilizers, pesticides, etc.) while applying them in the field, bite by insects or animals, etc. Drones are nowadays emerging as a component of precision agriculture along with contributing to sustainable agriculture.

The market for agricultural UAVs is growing rapidly [4], and several venture companies have emerged. According to market research by Price-Waterhouse-Coopers, the market size of agricultural UAVs is forecasted to grow to about \$32.4 billion by 2050, accounting for about 25% of the global UAV market [5]. Major UAV companies include DJI, Parrot, Precisionhawk, AGEagle, and Trimble Navigation. Although various UAVs have been developed and commercialized, some challenges remain to be addressed for advanced agricultural solutions. Leading technologies include precision positioning, navigation, controls, imaging, communications, sensors, materials, batteries, circuits, and motors. Depending on the use of the UAV and the characteristics of the farming sector various technologies (e.g., equipment

development, nozzle controls, and big data) are required. It is challenging to provide information about all UAV technologies. Therefore, in this paper, we focus on the components of drone systems, sensors, and platform types, which are mainly examined in terms of research and development.

2. DRONE COMPONENTS

Complete drone system is combination of different components as shown is Fig. 1.

1. **Frame:** - It is important to take the weight of the frame in consideration because if weight is high then there can be difficulties in the lifting of the drone. The design of frame is a trade-off between strength and additional weight, which will require longer propellers and stronger motors.
2. **Propeller:** - It is made up of carbon fiber which possesses high strength. Longer propellers can achieve greater lift at a lower rpm but take longer to speed up/slow down. Shorter propellers can change speed quicker and thus are more maneuverable; however, they require a higher rotational speed to achieve the same power as longer blades. This causes excess motor strain and thus reduces motor life span [6].
3. **Electronic speed controller (ESC):** - It is used to vary the Revolution Per Minute (RPM) of the motor.
4. **Flight controller:** -Maneuvering operations and also it provides Auto level function. The accelerometer and gyroscope sensors in the Flight controller process the signals from the receiver and gives the output to the ESC to control UAV.
5. **Power distribution board:** -A board which allows transferring the power from the battery to ESCs / Motors and generate power supply for the flight controller and other peripherals with different voltage levels.
6. **Brushless direct motor:** - 1 per propeller, its movements can be controlled via an electronic controller and speed feedback mechanism. These motors are energy saving as compared to the brushed dc motors.
7. **Radio transmitter and receiver:** - Firstly, the transmitter should be calibrated with

the flight controller using the receiver. After the calibration the transmitter is linked with the drone, as per command of the transmitter the drone will work [7].

8. **Battery:** -Generally, the battery used is a Li-Po battery due to high power density and ability [8].



Fig. 1. Components of UAV

3. TYPES OF UNMANNED AERIAL VEHICLES BASED ON WINGS AND ROTOR

The number of rotors corresponds to differences of payload and UAV size as shown in Fig. 2. Octocopters, helicopter types, and fixed-wing types have the largest payload capacities (9.5 kg) and are mainly used for spraying [9]. Quadcopters and hexacopter are relatively small and carry a smaller payload (1.25–2.6 kg). They are used for reconnaissance and mapping [10,11]. Fixed and rotary-wing UAVs have the largest payload (23 kg), followed by the helicopter-type (22 kg). Currently, fixed- and rotary-wing UAVs are increasingly being used for precision agriculture. Multi-rotor UAVs are used for extremely precise tasks following Table 1

shows review of used smart agriculture UAVs with applications

1] Multi Rotor UAVs: These UAVs are mostly used for applications like aerial surveillance, photography etc. These are easy to manufacture and are the cheapest of all kinds of UAVs. Different categories of Multi Rotor UAVs are Tricopters which have 3 rotors, Quadcopter which have 4 rotors, hexacopter which have 6 copters and octocopter with 8 rotors [12]. Some of the limitations are limited flying time of 30 minutes, limited speed, so they are not suitable for projects such as long-distance surveillance and aerial mapping.

2] Fixed wing UAVs: These UAVs are controlled autonomously without a human pilot on-board. They have average flying time of 2 hours and some of the recent Fixed Wing UAVs can fly upto 16 hours. They are ideal for long distance operations. Some of the limitations are high costs and highly skilled training to operate. They need runway for launching [13].

3] Single Rotor UAVs: These categories of UAVs look very similar to the helicopters. These UAVs have only one huge rotor and a smaller one near the tail of the UAV. They can fly for higher number of times compared to multi-rotor UAVs. Some of the limitations are more complex and prone to operational risks, higher costs.

4] Hybrid Vertical Take-off and Landing (VTOL): These UAVs are a hybrid of fixed wing UAVs and rotor-based models. These UAVs are equipped with sensors and can be controlled remotely [14].












Fig. 2. UAV based on wings and rotor

Table 1. Review of used smart agriculture UAVs with applications

Sr. No.	Agriculture UAVs	UAV Type	Potential Application	UAV image
1	eBee SQ	Fixed wing	RGB imagery, spanning vast areas of every flight, Soil Temperature	
2	Senterra PHX	Fixed wing	Weed management, pest management, crop health monitoring	
3	Lancaster 5	Fixed wing	Plants counting and number, assessing plant quality, creating prescription maps	
4	Honeycomb	Fixed wing	Navigating, surveillance, Soil H2O levels, air pressure	
5	AgEagle RX-60	Fixed wing	Aerial Imaging, crop health monitoring, maps prescription	
6	Dji matrice 600 Pro	Multi rotor	Plants counting, Navigating, aerial photography	
7	Dji matrice 210	Multi rotor	Fire-fighting, pipeline inspection	
8	AgBot	Multi rotor	Plant height, assessing plant quality	

[Maddikunta *et. al.*]Some sensors are mounted on drone for mapping, surveying, detection of crop related to diseases for easy identification, different types of agricultural sensors are available described as below:

3. TYPES OF AGRICULTURAL SENSORS

- 1) **Location-based Sensors:** Location sensors are used for locating different areas and spots in the agriculture fields [15,16]. The farmers utilize various locations sensors that help them during the different stages of the life cycle of crops. Normally, GPS receivers are used for finding the longitude and latitude of a particular point on the earth's surface with the help of a GPS satellite network. These smart location sensors play an important role in precision agriculture by pointing out the location in fields of monitoring growing crops for watering, fertilization, and treatment of weeds.
- 2) **Electrochemical Sensors:** These sensors are used to extract a composition from a particular biological sample such as plants, soil etc. [17]. In smart agriculture, these sensors are generally used to detect pH levels and soil nutrient levels where sensor electrodes detect specific ions within a soil.
- 3) **Temperature and Humidity Sensors:** Temperature and humidity are among the most important weather factors which directly affect the health and growth of all types of crops. Correct measurement of these environmental factors is helping the farmer adjust the quantity of fertilizer and water [18]. Various types of temperature, humidity sensors are available which helps the farmers to measure and monitor the levels of humidity and temperatures of their fields and greenhouses. These sensors are wireless-enabled and battery operated.
- 4) **Optical Sensors:** These sensors work on the principle of converting light rays into an electrical signal [19]. There are several optical sensors (such as RGB camera, converted near infrared camera, six-band multispectral camera, high spectral resolution spectrometer etc.) that have been used in UAVs for precision agriculture related applications [20]. A brief description of few sensors working on this principle are as described as the following.

- (a) **Visible Light Sensors (RGB):** Visible Light Sensors (RGB) are most popularly used by UAVs in precision agriculture and related smart agro applications. It is a recognized fact that human eye is sensitive to red, green and blue bands of light. The RGB sensor in UAV camera captures the image such that they reproduce the same effect as seen with a human eye. Also, the costs of the RGB sensor-based cameras are relatively affordable, light weight and extremely good at creating orthomosaic maps that captures images and aerial videos of the entire field at a single instance as shown in Fig. 3. This enables to take quicker observations and after entering the geographical data into the GPS, one can immediately get into the root of the problem without affecting the entire field [21]. The RGB cameras thus help in detailed inspection of agricultural assets efficiently and effectively in varying weather conditions. The associated challenges of this sensor include its inadequacy to analyze large number of agro parameters requiring spectral information existing in non-visible spectrum.
- (b) **Multi-spectral Sensors:** Multi-spectral sensors are extremely appropriate for UAV based agricultural analytics. These sensors capture images with exceptional spatial resolution and also possess the capability to determine reflectance in near infrared (Nhamo *et. al.*, 2022) as shown in Fig. 3. Thus, these sensors are very effective and essential for farmers, researchers and agronomists. The collection of multi-spectral data is an absolute necessity for performing analysis of crop health. The multiple bands of light enable researchers to conduct precision analytic and produce insights on plant vigor, canopy cover, leaf and various other parts of the plants. The absence of such multi-spectral data would make early detection of plant diseases, weeds, pests and calculation of vegetative biomass almost impossible.
- (c) **Hyper-spectral Sensors:** Hyper-spectral sensors are extremely capable of capturing detailed images in

the spectral and spatial range. These sensors are equipped with area detectors that quantify the captured light resulting from the conversion of incident photons into electrons as shown in Fig. 3. The successful use of hyper-spectral sensors in UAV is possible through the availability of pre-built systems constituting of the sensor manufacturer, the UAV manufacturer and the party responsible for system integration at the pre and post flight level [22]. The combinations of all these three aspects ensures commercial success of the hyper-spectral sensors in measuring hundred bands, performing data processing and

achieve decision making in agriculture and forestry.

- 5) **Thermal infrared sensors:** Thermal sensors are widely used for many agricultural related applications such as monitoring of various conditions of crops and soil. The thermal cameras detect the radiations relevant to their wavelengths and converts it to grayscale image generating heat in this process as shown in Fig. 3, [23]. The applications of these thermal sensors mounted on UAVs are irrigation management/scheduling by calculating the soil and crop water stress, detection/prediction of various crops disease [24,25] (e.g., pathogen), mapping soil texture, crops maturity monitoring as shown in Table 2.




Fig. 3. Images takes by different sensors

Table 2. Smart agriculture UAV's with specifications

Operation	UAV type	Indices	Sensors		References
			Type	Model	
Irrigation	Fixed-wing UAV	Crop water stress index, transformed Chlorophyll absorption in reflectance	Multispectral camera	Canon IXUS 125 HS	Baluja et al, [26]
	Quadcopter	Near Infrared domain (NIR), NDVI Difference Vegetation Index (DVI), NDVI	Digital camera Multispectral camera	Tetracam MCA-6 Parrot SEQUOIA	Romero et al, [27] Romero et al, [28]
Crop monitoring	Octacopter	NDVI, soil adjustment vegetation index	RGB sensor	Panasonic Lumix GX1	Bendig et. al., [29]
		Nutrient Disorders	RGB, Multispectral and Hyperspectral sensors	-	Gabriel JL et. al. [30], Severtson D. et al, [31] & Maimaitijiang M. et al, [32]
	Quadcopter	Green-red ratio index, visible-band difference vegetation index	Digital camera	Sony ILCE-6000	Du and Noguchi et al, [33]
Spraying	Helicopter	Route precision	Image transmitter	-	Giles and Billing et al, [34]
	Hexacopter	Spray droplet size, deposition rate, droplet density, and area coverage	-	-	Yallappa D. et al, 2022
		Measure bioefficacy, coverage rate, and spraying performance	-	-	Raghuvirsinh P. P. et al, [35]
	Quadcopter	Droplet coverage rate, density, droplet size	Digital plant canopy imager	Camas CI-110	Pan et. al., [36]
	Observed deposition rate, field work rate	Multi-spectral camera, Hyper-spectral camera, Near-infrared	-	Meivel et al, [37]	
	Used for spraying fertilizer and pesticide	GPS sensor Accelerometer and Gyroscope Sensors	-	Vardhan P. H. et al, [38] & Plant R, [39]	

As per Table 2 researchers work on different agriculture operations such as irrigation, crop monitoring, spraying using Fixed-wing UAV, quadcopter, octacopter, hexacopter. Yallappa D. *et. al.* works on spray droplet size, droplet density and area coverage using hexacopter spraying drone droplet deposition rate, droplet density and area coverage were highest in the

upper layer as compared to the middle layer. In the spray drift test, there was a higher droplet deposition rate, area coverage and droplet density in the target area as compared to the non-target area. Raghuvirsinh P. P. et. al 2022 evaluate performance in green gram field in Panjab was concluded that the droplet size was significantly small in T3 (pesticide application

with UAV based sprayer) (200.34 to 253.01 μm) compared to T2 (pesticide application with knapsack sprayer) (463.88 to 738.80 μm). The droplet density was significantly more in T3 compared to T2 at top, middle and bottom of the crop canopy. The maximum reduction in whitefly *Bemisia tabaci* (Genn.) incidence was observed three days after spray in T3 (36.84 and 42.72%) and T2 (28.71 and 29.70%). Thus, UAV based sprayer was found to be more effective producing smaller droplets, more droplets/ unit area, and in controlling *B. tabaci* in green gram.

4. APPLICATIONS OF DRONES IN AGRICULTURE

There are various applications of drones in agriculture: -

The use of UAV's in precision agriculture [40,41], photogrammetry and remote sensing [42,43]. It is very fast and it could reduce the work load of a farmer. In general, UAVs are equipped with the cameras and sensors for crop monitoring and sprayers for pesticide spraying. In the past, variety of UAV models running on military and civilian applications [44]. A technical analysis of UAVs in precision agriculture is to analyze their applicability in agriculture operations like crop monitoring [45], crop height Estimations [46], pesticide Spraying [47], soil and field analysis [48]. However, their hardware implementations [49] are purely depended on critical aspects like weight, range of flight, payload, configuration and

their costs. The main advantages of using UAVs for smart agricultural applications as shown in Fig. 4 include mobility of UAVs in variable weather conditions, ability to capture high-resolution pictures from different ranges (average range 50 to 100 meters). It is also, possible to use UAVs for determining and monitoring the quality of crops, monitoring attacks attempted by pests/weeds/animals. The farmers and other stakeholders can access the data gathered through UAVs from cloud-based platforms remotely through apps from their smart devices which can help in predicting the yield of the crop, requirements like pesticides, fertilizers, seed sowing, etc. [50].

- 1) **Crop spraying:** - Drones can be used to spray chemicals like fertilizers, pesticides, etc. based on the spatial variability of the crops and field. The amount of chemicals to be sprayed can be adjusted depending upon the crop conditions, or the degree of severity of the insect-pest attack. In this way, drones pave the pathway to precision agriculture.
- 2) **Crop monitoring:** - Drones can be used for monitoring the conditions of crops throughout the crop season, so that the need-based and timely action can be taken. The quick and appropriate action can prevent yield loss. This technology will eliminate the need to visually inspecting the crops by the farmers




Fig. 4. Applications of UAV in agriculture

- 3) **Crop irrigation:** - Drones loaded with thermal, multispectral or hyper-spectral sensors can identify the parts of the field with moisture deficits using multispectral indices. This helps in planning timely irrigation to the identified areas with precision.
- 4) **Aerial mapping:** - By using different kinds of sensors pertaining to visible, NIR and thermal infrared rays, different multispectral indices can be computed based on the reflection pattern at different wavelengths image of aerial mapping. These indices can be used to assess the conditions of crops like water stress, insect-pest attack, diseases, etc. The sensors present over the drones can see the incidence of diseases or deficiency even before the appearance of visible symptoms. Thus, they serve as a tool for early detection of the diseases. In this way, drones can be used for early warning system so that timely action can be taken by applying the remedial measures based on the degree of the stress.
- 5) **Livestock management:** - Drones can be used to manage the large herd of livestock. The sensors having high-resolution infrared cameras present over drone can detect the diseased animal swiftly by their heat signatures. The detected diseased animal can then be separated from their fellow animals, and the early treatment can be provided. So, the drone could be used for precision dairy farming [50].
- 6) **Soil and field analysis:** - Drones can be used to mount sensors which are able to analyze. The soil conditions, terrain conditions, moisture content, nutrients content and fertility levels of the soil which can be further used for planning the pattern of sowing of different crops, irrigation scheduling as well as for managing fertilizers application considering spatial variability of the crop growth and field conditions [50].
- 7) **Pest control:** -Apart from soil conditions, drones can also detect and inform farmers about field areas inflicted by weeds, disease and insect pests.
- 8) **Weed identification:** - Drones can be used to identify the weeds present in the

field. These weeds could be timely rooted out from the field so that they do not compete for resources with the main crop. [36].

- 9) **Land surveying:** -It is nearly impossible to estimate the overall state of crops in large fields. Drones based agriculture mapping can help farmers remain area-wise updated on the plants status and point out which field areas require attention.

5. CURRENT TRENDS AND FUTURE CHALLENGES

Currently, simultaneous localization and mapping (SLAM) technology, which leverages autonomous driving, is being used with UAVs. SLAM technology maps in real time using a camera and/or LiDAR. It recognizes its own position and identifies obstacles, autonomously traveling or performing tasks. The technology does not require the use of existing controllers, and it is efficient and practical, because it works autonomously. With these developments, closer to smart agricultural capability [51] (Nex *et al.*, 2020). Based on this technology it is easy to identify the area where to spray the pesticides. Practical limitations, such as the short flight time, are also expected to be solved by the advancements in technology. These improvements will ensure that farmers can reap more from the use of UAVs for remote sensing in Precision Agriculture [52]. It also helps the spraying job easy and faster [53-56].

6. CONCLUSION

This paper gives a systematic and comprehensive overview of the latest development in UAV and sensors. It is apparent that the agriculture industry is undergoing an important turning point during the last few years. The traditional practices in agriculture are transforming into a new "intelligent" perspective in the process of cultivation. Agricultural UAVs show unlimited potential in agriculture. The platforms, control, applications of agricultural UAVs, and different sensors that have been developed or under study were reviewed. Besides, various limitations, available applications, and the latest trends of agricultural UAVs are introduced to describe the direction of future research. This review paper is regarded as eye-opener for Industry and Agriculture for development and integration of more drones for

making Agriculture tasks better and in turn yielding best crop quality in near future.

ACKNOWLEDGEMENTS

Authors are thankful to NAHEP-CAAST-DFSRDA center, VNMKV, Parbhani, 431402, M.S., India, for technical support for this review work.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Boursianis AD, Papadopoulou MS, Diamantoulakis P, Liopa-Tsakalidi A, Barouchas P, Salahas G et al. Internet of things (IoT) and agricultural unmanned aerial vehicles (UAVs) in smart farming: A comprehensive review. *Internet Things*. 2022;18:100187.
DOI: 10.1016/j.iot.2020.100187
2. Xia K, Lee S, Son H. Adaptive control for multi-rotor UAVs autonomous ship landing with mission planning. *Aerosp Sci Technol*. 2020;96:105549.
DOI: 10.1016/j.ast.2019.105549
3. Dutta G, Goswami P. Application of drone in agriculture: A review. *Int J Chem Stud*. 2020; SP-8(5);8(5):181-7.
DOI: 10.22271/chemi.2020.v8.i5d.10529
4. Brief L. Growth opportunity in global UAV market. *Las Colinas*; 2011.
5. Mazur M, Wisniewski A, McMillan J. Clarity from above: Pwc global report on the commercial applications of drone technology. *Warsaw: Drone Powered Solutions, Price Water house Coopers*; 2016.
6. Ahirwar S, Swarnkar R, Bhukya S, Namwade G. Application of drone in agriculture. *Int J Curr Microbiol Appl Sci*. 2019;8(1):2500-5.
DOI: 10.20546/ijcmas.2019.801.264
7. Desale R, Chougule A, Choudhari M, Borhade V, Teli SN. Unmanned aerial vehicle for pesticides spraying. *IJSART*. 2019;5.
8. Pham QV, Fang F, Ha VN, Piran MJ, Le M, Le LB, et al. A survey of multi-access edge computing in 5G and beyond: fundamentals, technology integration, and state-of-the-art. *IEEE Access*. 2020;8:116974-7017.
DOI: 10.1109/ACCESS.2020.3001277, P. 116
9. Dai B, He Y, Gu F, Yang L, Han J, Xu W. A vision based autonomous aerial spray system for precision agriculture. *Proceedings of the IEEE international conference. Robot Biomimetics (ROBIO)*. Dec 2017:507-13.
DOI: 10.1109/ROBIO.2017.8324467
10. Torres-Sánchez J, López-Granados F, De Castro AI, Peña-Barragán JM. Configuration and specifications of an unmanned aerial vehicle (UAV) for early site-specific weed management. *PLOS ONE*. 2013;8(3, Mar): Art no. e58210.
DOI: 10.1371/journal.pone.0058210, PMID 23483997.
11. Özaslan T, Mohta K, Keller J, Mulgaonkar Y, Taylor CJ, Kumar V, et al. Towards fully autonomous visual inspection of dark featureless dam penstocks using MAVs. In: *Proceedings of the IEEE/RSJ int. conf. intell robots syst (IROS)*; Oct 2016. p. 4998-5005.
DOI: 10.1109/IROS.2016.7759734
12. Shaw KK, Vimalkumar R. Design and development of a drone for spraying pesticides, fertilizers and disinfectants. *Int J Eng Res Technol*. 2020;9.
13. Panagiotou P, Yakinthos K. Aerodynamic efficiency and performance enhancement of fixed-wing UAVs. *Aerosp Sci Technol*. 2020;99:105575.
DOI: 10.1016/j.ast.2019.105575
14. Ryi J, Choi JS. A study on noise certification evaluation of hybrid VTOL UAV by wind tunnel test and flight test. *J Aerosp Syst Eng*. 2020;14, no. spc,:39-48.
15. Lee SW, Mase K. Activity and location recognition using wearable sensors. *IEEE Pervasive Comput*. 2002;1(3):24-32.
DOI: 10.1109/MPRV.2002.1037719
16. Bayrakdar ME. Employing sensor network based opportunistic spectrum utilization for agricultural monitoring. *Sustain Comput Inform Syst*. 2020;27:100404.
DOI: 10.1016/j.suscom.2020.100404
17. Salam A. Internet of things in agricultural innovation and security. In: *Internet of things for sustainable community development*. Springer. 2020;71-112.
DOI: 10.1007/978-3-030-35291-2_3

18. Singh N, Singh AN. Odysseys of agriculture sensors: Current challenges and forthcoming prospects. *Comput Electron Agric.* 2020;171:105328. DOI: 10.1016/j.compag.2020.105328
19. Alvar-Beltran J, Fabbri C, Verdi L, Truschi S, Dalla Marta A, Orlandini S, S. Testing proximal optical sensors on quinoa growth and development. *Remote Sens.* 2020; 12(12):1958. DOI: 10.3390/rs12121958
20. von Bueren SK, Burkart A, Hueni A, Rascher U, Tuohy MP, Yule IJ. Deploying four optical UAV-based sensors over grassland: challenges and limitations. *Biogeosciences.* 2015;12(1):163-75. DOI: 10.5194/bg-12-163-2015
21. Singh RK, Aernouts M, De Meyer M, Weyn M, Berkvens R. Leveraging LoRaWAN technology for precision agriculture in greenhouses. *Sensors (Basel).* 2020;20(7): 1827. DOI: 10.3390/s20071827, PMID 32218353.
22. Weiss M, Jacob F, Duveiller G. Remote sensing for agricultural applications: A meta-review. *Remote Sens Environ.* 2020;236:111402. DOI: 10.1016/j.rse.2019.111402
23. Allred B, Martinez L, Fessehazion MK, Rouse G, Williamson TN, Wishart D, et al. Overall results and key findings on the use of UAV visible-color, multispectral, and thermal infrared imagery to map agricultural drainage pipes. *Agric Water Manag.* 2020;232:106036. DOI: 10.1016/j.agwat.2020.106036
24. Gadekallu TR, Rajput DS, Reddy MPK, Lakshmana K, Bhattacharya S, Singh S, et al. A novel PCA– whale optimization-based deep neural network model for classification of tomato plant diseases using GPU. *J Real-Time Image Process.* 2020;1-14.
25. Reddy T, RM SP, Parimala M, Chowdhary CL, Hakak S, Khan WZ, et al. A deep neural networks-based model for uninterrupted marine environment monitoring. *Comput Commun;* 2020.
26. Baluja J, Diago MP, Balda P, Zorer R, Meggio F, Morales F, et al. Assessment of vineyard water status variability by thermal and multispectral imagery using an unmanned aerial vehicle (UAV). *Irrig Sci.* 2012;30(6):511-22. DOI: 10.1007/s00271-012-0382-9
27. Romero-Trigueros C, Nortes PA, Alarcón JJ, Hunink JE, Parra M, Contreras S, et al. Effects of saline reclaimed waters and deficit irrigation on Citrus physiology assessed by UAV remote sensing. *Agric Water Manag.* 2017;183:60-9. DOI: 10.1016/j.agwat.2016.09.014
28. Romero M, Luo Y, Su B, Fuentes S. Vineyard water status estimation using multispectral imagery from an UAV platform and machine learning algorithms for irrigation scheduling management. *Comput Electron Agric.* Apr 2018;147:109-17. DOI: 10.1016/j.compag.2018.02.013
29. Bendig J, Yu K, Aasen H, Bolten A, Bennertz S, Broscheit J, et al. Combining UAV-based plant height from crop surface models, visible, and near infrared vegetation indices for biomass monitoring in barley. *Int J Appl Earth Obs Geoinf.* Jul 2015;39:79-87. DOI: 10.1016/j.jag.2015.02.012
30. Gabriel JL, Zarco-Tejada PJ, López-Herrera PJ, Pérez-Martín E, Alonso-Ayuso M, Quemada M. Airborne and ground level sensors for monitoring nitrogen status in A maize crop. *Biosyst Eng.* 2017;160: 124-33. DOI:10.1016/j.biosystemseng.2017.06.003
31. Severtson D, Callow N, Flower K, Neuhaus A, Olejnik M, Nansen C. Unmanned aerial vehicle canopy reflectance data detects potassium deficiency and green peach aphid susceptibility in canola. *Precis Agric.* 2016;17(6):659-77. DOI: 10.1007/s11119-016-9442-0
32. Maimaitijiang M, Ghulam A, Sidike P, Hartling S, Maimaitiyiming M, Peterson K, et al. Unmanned Aerial System (UAS)-based phenotyping of soybean using multi-sensor data fusion and extreme learning machine. *ISPRS J Photogramm.* 2017; 134:43-58. DOI: 10.1016/j.isprsjprs.2017.10.011
33. Du M, Noguchi N. Monitoring of wheat growth status and mapping of wheat yieldŠs within-field spatial variations using color images acquired from UAV-camera system. *Remote Sens.* Mar 2017;9(3): 289. DOI: 10.3390/rs9030289

34. Giles D, Billing R. Deployment and performance of a UAV for crop spraying. *Chem Eng Trans*. Oct 2015;44:307-12.
35. Parmar RP, Singh SK, Singh M, Aseem V. On-Farm Assessment of unmanned aerial vehicle (UAV) based Spraying Technology in Green Gram. *Indian J Entomol*. 2022; 84(2):286-9.
36. Pan Z, Lie D, Qiang L, Shaolan H, Shilai Y, Yande L et al. Effects of citrus tree-shape and spraying height of small unmanned aerial vehicle on droplet distribution. *Int J Agric Biol Eng*. 2016;9(4):45-52.
37. Meivel S, Dinakaran K, Gandhiraj N, Srinivasan M. Remote sensing for urea spraying agricultural (UAV) system. In: *Proceedings of the 3rd int. conf. adv comput commun*. 2016;1:1-6.
DOI: 10.1109/ICACCS.2016.7586367
38. Vardhan PH, Dheepak S, Aditya PT, Arul S. Development of automated aerial pesticide sprayer. *Int J Eng Sci Res Technol*. 2014;3(4).
39. Plant RE, Pettygrove GS, Reinert WR. Precision agriculture can increase profits and limit environmental impacts. *Calif Agric*. 2000;54(4):66-71.
DOI: 10.3733/ca.v054n04p66
40. Natu AS, Kulkarni SC. Adoption and utilization of drones for advanced precision farming: a review. published in *International Journal on Recent and Innovation Trends in Computing and Communication*, ISSN: 2321-8169. 2016; 4(5):563-5.
41. Zhang C, Kovacs JM. The application of small unmanned aerial systems for precision agriculture: a review. *Precis Agric*. 2012;13(6):693-712.
DOI: 10.1007/s11119-012-9274-5
42. Everaerts J. The use of unmanned aerial vehicles (UAVs) for remote sensing and mapping. *Int Arch Photogramm Remote Sens Spat Inf Sci*. 2008;37:1187-92.
43. Colomina I, Molina P. Unmanned aerial systems for photogrammetry and remote sensing: a review. *ISPRS J Photogramm*. 2014;92:79-97.
DOI: 10.1016/j.isprsjprs.2014.02.013
44. Van Blyenburgh P. UAVs: an overview. *Air Space Eur*. 1999;1(5-6):43-7.
DOI: 10.1016/S1290-0958(00)88869-3
45. Bendig J, Bolten A, Bareth G. Introducing a low-cost mini-UAV for thermal- and multispectral-imaging. *Int Arch Photogramm Remote Sens Spat Inf Sci*. 2012;39:345-9.
46. Anthony D, Elbaum S, Lorenz A, Detweiler C. On crop height estimation with UAVs. *IEEE Publications*. 2014;4805-12.
DOI: 10.1109/IROS.2014.6943245
47. Huang Y, Hoffmann WC, LAN Y, Wu W, Fritz BK. Development of a spray system for an unmanned aerial vehicle platform. *Appl Eng Agric*. 2009;25(6):803-9.
DOI: 10.13031/2013.29229
48. Primicerio J, Di Gennaro SF, Fiorillo E, Genesio L, Lugato E, Matese A, et al. A flexible unmanned aerial vehicle for precision agriculture. *Precis Agric*. 2012; 13(4):517-23.
DOI: 10.1007/s11119-012-9257-6
49. Maurya P. 'Hardware implementation of a flight control system for an unmanned aerial vehicle.' Retrieved. 2015, from *Computer science and engineering*;06:01.
50. Alka rani, chaudhary A, Sinha NK, Mohanty M, Chaudhary RS. Drone: the green technology for future agriculture; 2019.
51. Sofonia JJ, Phinn S, Roelfsema C, Kendoul F, Rist Y. Modelling the effects of fundamental uav flight parameters on lidar point clouds to facilitate objectives-based planning. *ISPRS J Photogramm*. 2019; 149:105-18.
DOI: 10.1016/j.isprsjprs.2019.01.020
52. Tsouros DC, Bibi S, Sarigiannidis PG. A review on UAV-based applications for precision agriculture. *Information*;10(11).
DOI: 10.3390/info10110349
53. Nex F, Duarte D, Steenbeek A, Kerle N. Towards real-time building damage mapping with low-cost uav solutions. *Remote Sens*. 2019;11(3):287.
DOI: 10.3390/rs11030287
54. Nhamo L, Ebrahim GY, Mabhaudhi T, Mpandeli S, Magombeyi M, Chitakira M, et al. An assessment of groundwater use in irrigated agriculture using multi-spectral remote sensing. *Phys Chem Earth Parts A B C*. 2020;115:102810.
DOI: 10.1016/j.pce.2019.102810
55. Reddy Maddikunta PKR, Hakak S, Alazab M, Bhattacharya S, Gadekallu TR, Khan WZ, et al. Unmanned aerial vehicles in smart agriculture: applications,

- requirements and challenges. IEEE Sensors J;21(16):17608-19.
DOI: 10.1109/JSEN.2021.3049471
56. Dengeru Y, Ramasamy K, Allimuthu S, Balakrishnan S, Kumar APM, Kannan B et al. Study on spray d eposition and drift characteristics of UAV agricultural sprayer for application of insecticide in Redgram crop (*Cajanus cajan* L. Millsp.). Agronomy. 2022; 12(12):3196.
DOI: 10.3390/agronomy12123196

© 2023 Rathod and Shinde; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

*The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/93176>*