

Asian Journal of Applied Chemistry Research

7(2): 40-46, 2020; Article no.AJACR.64453 ISSN: 2582-0273

# Physicochemical Research of Mineral and Mountain Spring Waters in Bulgaria

# Ignat Ignatov<sup>1\*</sup>

<sup>1</sup>Scientific Research Center of Medical Biophysics, Sofia, Bulgaria.

# Author's contribution

The sole author designed, analysed, interpreted and prepared the manuscript.

#### Article Information

DOI: 10.9734/AJACR/2020/v7i230180 <u>Editor(s):</u> (1) Dr. Angélica Machi Lazarin, State University of Maringá, Brazil. <u>Reviewers:</u> (1) Gustavo Marques da Costa, Universidade Feevale, Brazil. (2) S. Sankaravadivu, Manonmaniam Sundaranar University, India. Complete Peer review History: <u>http://www.sdiarticle4.com/review-history/64453</u>

**Review Article** 

Received 12 November 2020 Accepted 16 January 2021 Published 27 January 2021

# ABSTRACT

In Bulgaria is observed a great variety of spring waters. They are mineral and mountain spring waters. According to their temperature they can be cold (up to 37° C), warm (from 37° C to 60° C) and hot (over 60° C). This is Bulgarian standard, European Union. The mountain spring waters are cold with temperature up to 25° C. In Bulgaria for drinking mineral and mountain spring waters are valid Ordinance No 9 / 2001, Official State Gazette, issue 30, and decree No. 178 / 23.07.2004. By their chemical composition they fall into three categories – low mineralized (up to 2 g/L), moderately mineralized (2 to 15 g/L) and highly mineralized (15 - 30 g/L). According to their chemical composition the mineral waters are divided into sulphate, sulfide, hydrogen carbonate, chloride and carbonic. With regards to their gas composition they are nitrogen, sea and carbonic waters The objective of the current study is to show springs examined by physicochemical parameters and correspond to Ordinance No 9 / 2001, Official State Gazette, issue 30, and decree No 178 / 23.07.2004 about the quality of water intended for drinking and household purposes. In the current study mineral waters and mountain spring waters from mountain regions of Bulgaria have been studied. It is well known that in the mountain areas of Bulgaria live the most of longliving people and centenarians. The studies are conducted by microbiological laboratory of Trakia University, Stara Zagora headed by Nedyalka Valcheva, accredited laboratory Eurotest Control,

\*Corresponding author: Email: mbioph@abv.bg;

and the laboratory of Scientific Research Center of Medical Biophysics.

Keywords: Mineral and mountain waters; physicochemical parameters; Bulgaria.

#### 1. INTRODUCTTION

In the current study are shown mineral waters and mountain spring waters from mountain regions of Bulgaria. It is well known that in the mountain areas of Bulgaria live the most of long-living people and centenarians.

Studies are carried out for mineral waters in the regions of Sofia, Plovdiv, Haskovo, Stara Zagora, Pazardhik, Varna, Burgas, Blagoevgrad, Yambol. Pleven and Lovech.

Research of mountain spring waters is conducted in the municipalities of Smolyan and Teteven, area well known for its people living people and centenarians. The mountain spring water is one of the factors for health and increased longevity. Shown is up-todate data from 2020 about mountain spring water Teteven.

Water is the main substance of life. The human body is composed from 48 to 54% of water for adult people. With aging, the percentage of water in the human body decreases. Hence, the factor of water quality is factor for the the essential research (Pocock et al., 1981; Howard, Hopps, 1986). Water is present in the composition of the physiological fluids in the body and plays an important role as an inner environment in which the vital biochemical processes involving enzymes and nutrients take place. Water is the main factor for metabolic processes and aging (Ignatov, Mosin, 2012, 2013). Earlier studies conducted by us have demonstrated the role of water, its structure, isotopic composition and physicochemical (pH, temperature) in the growth and proliferation of prokaryotes and eukaryotes in water with different isotopic content (Mosin, Ignatov, 2012, Mosin, 2013).

# 2. MATHERIALS AND METHODS

We analyze springs examined in respect of physicochemical composition, and comply with Ordinance No 9 / 2001, Official State Gazette, issue 30, and decree No 178 / 23.07.2004 about the quality of water intended for drinking and household purposes.

#### 2.1 Methods for Physicochemical Analysis

Method for determination of color according to Rublyovska Scale – method by Bulgarian State Standard (BDS) 8451 : 1977;

Method for determination of smell at 20°C method BDS 8451 : 1977 technical device – glass mercury thermometer, conditions No 21;

Method for determination of turbidity - EN ISO 7027, technical device turbidimeter type TURB 355 IR ID No 200807088;

Method for determination of pH – BDS 3424 : 1981, technical device pH meter type UB10 ID NoUB10128148;

Method for determination of oxidisability – BDS 3413 : 1981;

Method for determination of chlorides – BDS 3414 : 1980;

Method for determination of nitrates – Validated Laboratory Method (VLM) – NO3 – No 2, technical device photometer "NOVA 60 A" ID No 08450505;

Method for determination of nitrites – VLM  $NO_2$  – No 3, technical device photometer "NOVA 60 A" ID No 08450505;

Method for determination of ammonium ions –  $VLM - NH_4 - No$  1, technical device photometer "NOVA 60 A" ID No 08450505;

Method for determination of general hardness – BDS ISO 6058;

Method for determination of sulphates – VLM -SO4 – No 4, technical device photometer "NOVA 60 A" ID No 08450505;

Method for determination of calcium – BDS ISO 6058;

Method for determination of magnesium – BDS 7211 : 1982;

Method for determination of phosphates – VLM -  $PO_4$ – No 5, technical device photometer "NOVA 60 A" ID No 08450505;

Method for determination of manganese – VLM – Mn – No 7, technical device photometer "NOVA 60 A" ID № 08450505;

Method for determination of iron – VLM – Fe – No 6, technical device photometer "NOVA 60 A" ID No 08450505;

Method for determination of fluorides – VLM – F – No 8, technical device photometer "NOVA 60 A" ID No 08450505;

Method for determination of electrical conductivity – BDS EN 27888, technical device – conductivity meter inoLab cond 720 ID No 11081137.

#### 3. RESULTS AND DISCUSSION

Physicochemical research is conducted of mineral and mountain springs in Northern and Southern Bulgaria.

In Southern Bulgaria are examined springs in the regions of Plovdiv [1], Haskovo [2,3,4], Stara Zagora [5,6], Sliven [7], Burgas [8], Yambol, Pazardzhik, Yambol, Blagoevgrad [9].

Performed are specific physicochemical microbiological studies of springs from Southern Bulgaria [10,11,12].

In Northern Bulgaria are examined mineral springs in the regions of Varna [13,14], Lovech [15], Sofia Pleven. In Northern Bulgaria there is a great variety of mountain spring waters. The highest number of springs tested is in municipalities of Teteven [16,17], Yablanitsa [18] and Ugarchin [19], Lovech region and Smolyan region [20]. Table 1 shows bacteria during studies and microbiological parameters [21]. Table 2 shows the springs by regions, which correspond to Ordinance No. 9 / 2001, Official State Gazette, issue 30, and decree No. 178 / 23.07.2004 [22]. Table 3 is with physicochemical composition for mountain source Dolnata cheshma, Teteven, Bulgaria.

Type of bacteria	Norm	Limit value	
Escherichia coli	100	cfu/cm <sup>3</sup>	
Coliforms	100	cfu/cm <sup>3</sup>	
Clostridium perfringens	100	cfu/cm <sup>3</sup>	
Pseudomonas aeruginosa	250	cfu/cm <sup>3</sup>	

Table 2. Springs by regions, which correspond to Ordinance No. 9 / 2001, Official Stat	e
Gazette, issue 30, and decree No. 178 / 23.07.2004	

Region	Spring
Sliven	Sliven Mineral baths; Hadji Dimitar, Shivachevo; Banya; Gunchov Spring, Karandila
	locality, Sliven; Nova Zagora
Varna	Drilling No P83-St.St. Konstantin and Elena; P-1x-Aquarium; P-106 x Dom Mladost;
	P-161xPrimorski;
Burgas	Burgas Mineral Baths; Shivarovo; Polyanovo; Drilling No B73-Medovo; Drilling No
	B73-Kamenar;
Yambol	Karavelovo; Stefan Karadzhovo;
Haskovo	Drilling No. 2VP, Drilling No. 3VP, KEI No. 5
Stara	Drilling No. K-3, Ovoshtnik, Drilling No. SZ-37, Yagoda; Trakia, St. Nikolay, Holly
Zagora	Mother of God; Center Maglij; Kazanlak; Kran-Enina; Ayazmo; Trite Chuchura; Pavel
	Banya - Drilling No. SZ-7; Drilling No. SZ-8; Drilling No. X-19; Drilling No. 3;
Plovdiv	Drilling No. 16-Lenovo; Drilling No. 1-Asenovgrad; Badjova voda.
	Hisar – Key Momina Banya; Kei Momina Salza; KEI Stublata; KEI Toplitsata; Svejest;
	Bistritsa; Bancheto Miromir; Choban Chesma; Chair Banya; Drilling No. 1; Staro
	Zitelezare Drilling No. 2, Stato Zitelezare Drilling No. 4, Drilling No. 5, Drilling No. 5, Drilling No. 5, El Paneki
	Kantai: Salana izvaraba Banya, KEI Teantralan Kastai: Janaka Banaba: Drilling No.
	$1 - K_0$ Kalche: Drilling No. 8 - Dragovnovo: Drilling No. 8
Pazardzhik	No. 2 Vetren dol: Streicha
I azaluzilik	Velingrad – Drilling No. 5 Syarna hanya: Drilling No. 3 Mizinka: Drilling No. 7 –
	Veliova banva: Varvara - Drilling No. 3 - Varvara: Drilling No. 5 - Varvara: Drilling No.
	6 – Varvara
	Banva – KELNo, 1 - Bancheto: KELNo, 2-Vetren dol: KELNo, 1 - Bancheto:
Blagoevgrad	Rupite
Sofia	Drilling No. 1- Ivanyane; Drilling No. 3- Gorna Banya; KEI Pchelinski bani; Sofia - Center
Pleven	Dolni Dabnik - Gradina
Lovech	Teteven - Dolnata cheshma; Gornata cheshma; Sondata; Klindiovo; Babintsi;
	Gechovoto.
	Golyam izvor – Tulyushovets; Krivina
	Troyan – Shipkovo; Chiflik.
	Letnitsa – Krushuna

Controlled parameter	Measuring unit	Maximum limit value	Result
1. pH	pH values	≥ 6,5 и ≤ 9,5	7.9±0.1
<ol><li>Electrical conductivity</li></ol>	µS/ dm <sup>3</sup>	2000	482 ±15
<ol><li>Total hardness</li></ol>	mgekv/ dm <sup>3</sup>	12	5.72 ±0.57
4. Color	Chromaticity Values	Acceptable	8±1
5. Turbidity	FNU	Acceptable	<1.0
6. Permanent Oxidation	mgO <sub>2</sub> /dm <sup>3</sup>	5.0	0.31±0.3
7. Odor	force	Acceptable	Acceptable
8. Potassium (K)	mg/ dm <sup>3</sup>	-	1.5±0.2
9. Sodium (Na)	mg/ dm <sup>3</sup>	200	2.5±0.3
10. Calcium (Ca)	mg/ dm <sup>3</sup>	150	94.4 ±9.4
11. Magnesium (Mg)	mg/ dm <sup>3</sup>	80	12.1 ±1.21
12. Zinc (Zn)	mg/ dm <sup>3</sup>	4.0	0.0167±0.0017
13. Iron (Fe)	µg/ dm <sup>3</sup>	200	9.0±0.9
14. Manganese (Mn)	$\mu g/dm^3$	50	1.6±0.2
15. Ammonium ion $(NH_4^+)$	mg/ dm <sup>3</sup>	0.50	0.013±0.001
16. Hydrocarbonates ( $HCO_3$ )	mg/ dm <sup>3</sup>	-	184 ±9
17. Carbonates $(CO_3^{2})$	mg/ dm <sup>3</sup>	-	<2.0
18. Sulphates (SO <sub>4</sub> <sup>2</sup> )	mg/ dm <sup>3</sup>	250	109.8±11.0
19. Phosphates (PO <sub>4</sub> )	mg/ dm <sup>3</sup>	0.5	<0.1
20. Chlorides (Cl <sup>-</sup> )	mg/ dm <sup>3</sup>	250	1.2±0.1
21. Fluorides (F <sup>-</sup> )	mg/ dm <sup>3</sup>	1.5	0.11±0.01
22. Nitrates $(NO_3)$	mg/ dm <sup>3</sup>	50	3.9 ±0.4
23. Nitrites (NO <sub>2</sub> )	mg/ dm <sup>3</sup>	0.5	<0.05
24. Mercury (Hg)	µg/ dm <sup>3</sup>	1.0	<1.0
25. Cadmium (Cd)	µg/ dm <sup>3</sup>	10	<1.0
26. Copper (Cu)	mg/ dm <sup>3</sup>	2.0	0.0043±0.0004
27. Nickel (Ni)	µg/ dm <sup>3</sup>	20	<2.0
28. Lead (Pb)	µg/ dm <sup>3</sup>	10	<10
29. Aluminum (Al)	µg/ dm <sup>3</sup>	200	8.8±0.9
30. Antimony (Sb)	µg/ dm <sup>3</sup>	5.0	<5.0
31. Arsenic (As)	$\mu g/dm^3$	10	<10
32. Boron (B)	mg/ dm <sup>3</sup>	1.0	0.0206±0.0021
33. Selenium (Se)	µg/ dm³	10	<10
34. Chromium (Cr)	µg/ dm³	50	1.8±0.2

Table 3. Physicochemical parameters of mountain spring water Dolnata cheshma, Teteven

The properties of mountain spring water are owed to its purity from snow and ice melting [23]. One of its unique features is the availability of additional energy among the hydrogen bonds in their transition from a solid to a liquid phase [24]. Examined water with such properties is without any presence of pathogenic micro-organisms. One of the secrets of longevity is the microbiological purity of the water and the availability of the following minerals – Calcium (Ca), Magnesium (Mg), Zinc (Zn) and Manganese (Mn).

In many areas the long-livers and centenarians consume mineral water rich in Potassium (K) and Sodium (Na) [25,26]. The six indicated minerals support the balance in the human body and metabolism, and antioxidant effects occur [27,28]. Recent studies in compliance with Ordinance No 9 / 2001 are conducted of mountain spring water, Dolnata Cheshma, Teteven. Results are given in Table 2.

Researches were performed for the effects of the clinical parameters of long living people and water parameters [29-33]. Water in the human body has a spectrum for the life like information bearer. For the control group of healthy people the value of the spectrum of the largest local maximum is at -0.1387 eV or at a wavelength of 8.95  $\mu$ m [34]. For the group of people in a critical state and the patients with malignant tumors, the values of the spectrum of the largest local maximums shift to lower energies compared with the control group. Local extremum at 8.95  $\mu$ m is expressed in mountain spring waters [23,35,36].

# 4. CONCLUSION

In the present article an analysis is made of examinations according to No 9 / 2001, Official State Gazette, issue 30, and decree No 178 / 23.07.2004. Researched is the physicochemical composition with 32-33 parameters, and additionally included are Hydrocarbonates  $(HCO_3^-)$ , Carbonates  $(HCO_3^-)$  and Potassium (K).

In many areas the long-livers and centenarians consume mineral water rich in Potassium (K) and Sodium (Na). The six indicated minerals support the balance in the human body and metabolism, and antioxidant effects occur.

One of the greatest treasures of Bulgaria are the mountain spring and mineral waters. Known brands are – Gorna Banya, Bankya, Hissar, Devin, Baldaran, Bachkovo and others.

# ACKNOWLEDGEMENT OF GRATITUDE

The author expresses his sincere thanks to Municipality of Teteven with Mayor Dr Madlena Boyadzhieva for her cooperation in organizing the event "Days of mountain water". For the research in the village of Gradina, Pleven region is expressed gratitude to the Mayors Anton Andreev and Marin Petrov. The author thanks to Ass. Prof. Borislav Velikov for his assistance in the study of long-livers and centenarians in Bulgaria. He is also grateful to Ivan Todorov for the research of long-lived people and centenarians, as well as for his study of mountain spring water in the region of Smolyan.

#### **COMPETING INTERESTS**

Author has declared that no competing interests exist.

# REFERENCES

- 1. Valcheva N, Ignatov I, Mihaylova S. Physiological and molecular-genetic characteristic of bacteria strains, isolated from mountain spring and mineral waters in Plovdiv region, Bulgaria, International Journal of Pathogen Research. 2020;4 (1):44- 55.
- Valcheva N, Denkova Z, Nikolova R, Denkova R. Physiological, biochemical, and molecular – genetic characterization of bacterial strains Isolated from sping and

healing waters in region of Haskovo, Food, Science, Engineering and Technologies, Plovdiv. 2014;LX:940–946.

- Valcheva N, Denkova Z, Denkova R. Physicochemical and microbiological characteristics of spring waters in Haskovo. Journal of Food and Packaging Science Technique and Technologies. 2013;14:21-25.
- Valcheva N, Denkova Z, Nikolova R, Denkova R. Physiological - biochemical and molecular - genetic characteristics of bacterial strains isolated from spring and healing waters in the Haskovo region, N.T. at UCT. 2013;LX.
- Valcheva N, Denkova Z, Denkova R, Nikolova R. Characterization of bacterial strains isolated from a thermal spring in Pavel Banya, Stara Zagora region, N.T. at UCT. 2014;LXI.
- Valcheva N, The microflora of medicinal and spring waters in Haskovo and Stara Zagora region, dissertation, University of Food Technology. 2014;1-142.
- Valcheva N, Ignatov I, Dinkov G. Microbiologicl and physicochemical research of thermal Spring and mountain spring waters in the district of Sliven, Bulgaria. Journal of Advances in Microbiology. 2020;20(2):9-17.
- Valcheva N. Physicochemical and microbiological characteristics of thermal healing spring waters in the district of Burgas. European Reviews of Chemistry. 2019;6(2):81-87.
- Ignatov I, Valcheva N, Mihaylova S, Dinkov, G. Physicochemical and microbiological results of hyperthermal (hot) mineral water in Rupite, Bulgaria as model system for origin of life. UTTAR PRADESH JOURNAL OF ZOOLOGY, in press; 2021.
- Tumbarski Y, Valcheva N, Denkova Z, Koleva I. Antimicrobial activity against some saprophytic and pathogenic microorganisms of Bacillus species strains isolated from natural spring waters in Bulgaria. British Microbiology Research Journal. 2014;4(12):1353-1369.
- Velichkova K, Sirakov N, Rusenova, Beev G, Denev S, Valcheva N, Dinev T. *In vitro* antimicrobial activity on *Lemna minuta*, *Chlorella Vulgaris* and *Spirulina* sp. Extracts, Fresenius Environmental Bulletin. 2018;27(8):5736-5741.
- 12. Terzieva S, Velichkova K, Grozeva N, Valcheva N, Dinev T. Antimicrobial activity

of *Amaranthus* spp. Extracts again some mycotoxigenic fungi, Bulgarian Journal of Agricultural Science, Agricultural. 2019; 25(3).

- Valcheva N, Ignatov I. Physicochemical and microbiological characteristics of thermal Healing spring waters in the district of Varna, Journal of Medicine, Physiology and Biophysics. 2019;59:10-16.
- Valcheva N. Physicochemical and microbiological characteristics of thermal healing spring Waters in the districts of Varna and Burgas, Black Sea Region, Bulgaria. European Journal of Medicine. 2019:7(2):120-130.
- Ignatov I, Valcheva N. Microbiological and physicochemical research of mountain spring waters in Vasiliovska mountain, Municipality of Teteven, Bulgaria. Chemical Science International Journal. 2020;29(3):16-23.
- Ignatov I, Mosin OV, Velikov B, Bauer E, Tyminski G. Longevity factors and mountain water as factor. Research in mountain and fields areas in Bulgaria. Civil and Environmental Research. 2014;30(4): 51-60.
- 17. Ignatov I, Mosin OV, Velikov B, Bauer E, Tyminski G. Research of longevity factors and mountain water as a factor in Teteven municipality, Bulgaria. Journal of Medicine, Physiology and Biophysics. 2014;2:37-52.
- Ignatov I, Mosin OV, Velikov B, Bauer E, Tyminski G. Research of longevity factors and mountain water as a factor in Teteven, Yablanitsa and Ugarchin municipalities, lovech region, Bulgaria. Journal of Health, Medicine and Nursing. 2014;4:21-36.
- Ignatov I, Mosin OV, Velikov B, Bauer E, Tyminski G. Mountain water as main longevity factor in research of phenomenon of longevity in mountain areas in Bulgaria. European Journal of Molecular Biotechnology. 2014;4(2):52-71.
- 20. Ignatov I, Pesheva Y, Studying of the factors of longevity in Smolyan municipality, Rhodope mountains, Bulgaria as area of oxidant/antioxidant balance. 2018;8(16):29-42.
- Ignatov I. Microbiological Research of Mineral and Mountain Spring Waters in Bulgaria, Microbiology Research Journal International, 2020;30(10):79-84.
- 22. Ignatov I. Standards for the research and registration of drinking mineral and mountain spring waters in Bulgaria. Asian

Journal of Chemical Sciences, 2021:9(1): 12-18.

- Ignatov I, Mosin OV, Velikov B. Mountain water as a factor of human longevity. Local extremum at 8.95 µm in spectrum of water as indicator for health and longevity. Journal of Medicine, Physiology and Biophysics. 2015;9:51-81.
- 24. Ignatov I, Mosin OV. Methods for research of mountain and melt water as factor of longevity. Chemical composition, NES and DNES methods for spectral analysis. Effects of Calcium, Magnesium, Zinc and Manganese, Advances in Physics Theories and Applications. 2015;44:48-64.
- 25. Ignatov I, Mosin OV. Effects of calcium, magnesium, zinc and manganese in water on biophysical and biochemical processes in the human body. Journal of Medicine, Physiology and Biophysics. 2016;25:45-63.
- Ignatov I, Mosin OV. Studying the composition and properties of mountain and melt water of Bulgaria and Russia as factors of longevity. Effect of Calcium, Magnesium, Zinc and Manganese in water in organism. European Journal of Molecular Biotechnology. 2016;11(1):13-28.
- 27. Ignatov I, Mosin OV, Bauer E. Effects of zinc and manganese in mountain and glacier water for predominant antioxidant effects. Journal of Medicine, Physiology and Biophysics. 2016;27:11-29.
- 28. Ignatov I. Research of the factors of health and longevity for the population in Bulgaria, Bulgarian Journal of Public Health. 2018;10(3):52-6.
- 29. Pocock SJ, Shaper AG, Packham RF. Studies of water quality and cardiovascular disease in the United Kingdom. Sci. Total Environ. 198;18:25–34.
- Lv J, Wang W, Krafft T, Li Y, Zhang F, Yuan F. Effects of several environmental factors on longevity and health of the human population of Zhongxiang, Hubei, China. Biol. Trace Elem. Res. 2011;143(2):702:716.
- Howard C, Hopps. Chemical qualities of water that contribute to human health in a positive way, Science of the total environment. 1986;54:207-216.
- 32. Druzhyak NG. Water for health and longevity, Neva. [in Russian]; 2005.
- Abdullah AM, Abdelsalam E, Abdullah B, Khaled A. Antioxidant effects of Zamzam water in normal rats and those under induced-oxidant stress. Journal of

Ignatov; AJACR, 7(2): 40-46, 2020; Article no.AJACR.64453

Medicinal Plants Research, 2012;6(42): 5507-5512.

- Ignatov I, Mosin OV, Naneva K. Water in the human body is information bearer about longevity, Euromedica, Hanover. 2012;110-111.
- Ignatov I, Mosin OV. Isotopic composition of water and longevity, Acknowledge, in Russian]. 2013;14(1):2-10.
- Ignatov I. Entropy and time in living organisms, ArchivEuromedica, Hanover, 1st&2nd Edition. 2011;74-75.

© 2020 Ignatov; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history: The peer review history for this paper can be accessed here: http://www.sdiarticle4.com/review-history/64453